



TOWN OF ISLIP DEPARTMENT OF PLANNING AND DEVELOPMENT
Building Division

Permits.....224-5466, 69
Records/Inspections.....224-5470
Plans Examiners.....224-5467, 68

ONE MANITTON COURT ISLIP, NEW YORK 11751 Phone (631) 224-5464 Fax (631) 224-5462

Phil Nolan, Supervisor

**REQUIREMENTS FOR FACTORY MANUFACTURED FIREPLACES
(INSERTS) AND RELATED CHIMNEYS**

- Three (3) copies of survey
- Three (3) copies of floor plan indicating location of unit
- Two (2) copies of manufacturer's specs, installation instructions indicating, but not limited to:

Factory Clearances

Hearth Recommendations/Dimensions

Solid Fuel Type Factory-built fireplaces shall be tested in accordance with U.L. - 127

Vented Gas Fireplace shall be tested in accordance with ANSI Z21.50-98

Plumbing Permit and gas riser diagram required for gas installations. Riser diagram to be provided on Town of Islip Licensed Plumber's letterhead, or by N.Y.S. Licenses

Design Professional

Chimney/Flu Pipe Details

Chimneys must be U.L. Approved and designated for use proposed

Solid Fuel U.L. - 103 Vented Gas U.L. - 441

Separate Manufacturer's information regarding chimney materials to be provided

N.Y.S. does not regulate installation of unlisted appliances. No permit will be issued for unlisted appliances.

ANY CONSTRUCTION EFFECTING STRUCTURAL ELEMENTS WILL REQUIRE ALL APPLICABLE DETAILS, SIGNED AND SEALED BY A LICENSED, N.Y.S. DESIGN PROFESSIONAL.

SMOKE DETECTORS AND CO DETECTORS TO BE PROVIDED AS PER N.Y.S. RESIDENTIAL CODE (R-317), AND (1225.2)